



## Simon i7 ELV

i7 2 Gang ELV dry contact switch Modul

e

### Basic Information

|           |                                                                  |
|-----------|------------------------------------------------------------------|
| Model no  | 70E126                                                           |
| Range     | i7 ELV                                                           |
| Type      | Switch                                                           |
| Finishing | white,champagne-<br>46,grey-61,black-26                          |
| Remark    | The codes are not included frames<br>Directly use with other RCU |



### Installation and maintenance

|                             |                    |
|-----------------------------|--------------------|
| Cable section admitted      | CAT6               |
| Connection terminals type   | Screw connection   |
| IP protection               | IP20               |
| Material                    | PC (polycarbonate) |
| Operating temperature range | 0 - 40°C           |



## Additional information

|                     |                    |
|---------------------|--------------------|
| Rated current       | <i>0.1A</i>        |
| Rated voltage       | <i>DC12V</i>       |
| Communication       | <i>Dry-contact</i> |
| Quantity per box    | <i>6</i>           |
| Box size(mm)        | <i>375*95*105</i>  |
| Quantity per carton | <i>60</i>          |
| Carton size(mm)     | <i>495*385*220</i> |



# Dry-Contact Switch

## Features:

- Can directly use with Simon RCU or other RCU system
- Dry contact devices need to connect to IO part

