



Website



Facebook



YouTube

simon
LIGHT UP EMOTIONS

www.simonelectric.com



Simon, S.A.(Spain)
Tel. +34 902 109100
Web. www.simonelectric.com

Simon Electric (China)
Tel. +86 21 3855 5222
Web. www.simon.com.cn

Simon Electric (APAC)
Web. www.simon-apac.com
E-mail. info@simon-apac.com

PT Simon Elektrik Indonesia
Tel. +62 21 52960373
Web. www.simonelektrik.co.id

OCT 2024 Printed

Simon | **M3** series



Boundless & Fearless

simon



*Beauty is in simplicity,
Design without boundaries
Innovation without boundaries
Striving for dreams without boundaries
There is no boundary, and the heart is fearless.*

Large panel Frameless design

*86*86 super large*

Simple contouring

Effectively prevent dustfall

0.9mm thin indicator bar above the panel

Giving soft light in a dark light environment





Simon | M3_{series}

Matt and fine grain cover Leather texture craft

Delicate touch without fingerprints.

The panel adopts a fine leather texture surface processing, which is sprayed with matte, bringing a visual "advanced feeling" and a delicate and smooth touch feel like fine sand.

The visual impression is as comfortable as the actual touch feeling.

Versatile/Classic/Elegant

White, gray and champagne are most suitable for Nordic style and modern simple decoration style, which can be perfectly integrated into black, gray, white and log home decoration.



White

All-match colors, simple and clean can be matched with all kinds of soft outfit decoration.




Gray

It has a metallic texture and increases the advanced sense of space.

Champagne

Modern and luxurious





Invisible Multi-gang


*Multi-gang hidden frames design keeps the wall neat.
Tidy and Aesthetic. Ensure the visual comfort.
It is possible to combine switch and sockets as you wish.*

Focus on user experience
Detail matters on quality of life



Available in Multi-National sockets

*Comply to international standard
Children safety lock rejects any plugs by abnormal objects, protect safety of family members.*



Child safety lock

Enhance the Internet experience

Whole house network coverage


It is difficult to achieve the whole house Wi-Fi cover with a wireless router alone. Each room is independently configured with a wireless AP router, which is uniformly managed, and the signal is not hindered by penetrating the wall, giving you a stable and smooth Internet experience.



*Strong Signal
Wired and wireless 2in1
Low-radiation*

Aesthetics meets function Footlight with Motion Sensor


*Suitable for bed end and aisle application
automatically lights up at night when detect the people
soft and gentle lit from below is not dazzling
After leaving, it will automatically extinguished with seconds delay.*



Low power consumption

Details matter

Precise structure and select materials.
Guarantees $\geq 40,000$ switch times life.
And $\geq 10,000$ plug times life.




Child safety lock

PC

PC structure




Environmental friendly




J-Shape Connection

Innovative use of current-carrying component.

Resistance reduced to $0.04\Omega \cdot \text{mm}^2/\text{m}$. Compared to traditional Cu alloys, the mechanical properties, electrical conductivity and heat dissipation are optimized.



Simon M3 Smart



Simon M3 Smart

- Light ON/OFF, Tunable white and Dimming, Curtain control, AC control, Scene setting



APP control



Voice control



Wall switch



Automation



Download the app in:


Google Play

App store


Practical and Simple
Just as You Imagine

Simon|M3

Boundless & Fearless



Switches
Push Button
Socket
Tel, TV and Data Outlets
Control and Regulation
Hotel solution
Others
Docking
Frame




COLOURS

White, Grey, Champagne, Black, Vintage gold, Space grey

MULTIGANG FRAMES




2 Gang



3 Gang



4 Gang



5 Gang



COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

• •

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Switches

581111

1 Gang 1 Way Switch
(16AX 250V)



581112

1 Gang 2 Way Switch
(16AX 250V)



581011

1 Gang 1 Way Switch with
fluorescent (16AX 250V)



581012

1 Gang 2 Way Switch with
fluorescent (16AX 250V)



581121

2 Gang 1 Way Switch
(16AX 250V)



581122

2 Gang 2 Way Switch
(16AX 250V)



581021

2 Gang 1 Way Switch with
fluorescent (16AX 250V)



581022

2 Gang 2 Way Switch with
fluorescent (16AX 250V)



581131

3 Gang 1 Way Switch
(16AX 250V)



581132

3 Gang 2 Way Switch
(16AX 250V)



581031

3 Gang 1 Way Switch with
fluorescent (16AX 250V)



581032

3 Gang 2 Way Switch with
fluorescent (16AX 250V)



581141

4 Gang 1 Way Switch
(10AX 250V)



581142

4 Gang 2 Way Switch
(10AX 250V)



581041

4 Gang 1 Way Switch with
fluorescent (10AX 250V)



581042

4 Gang 2 Way Switch with
fluorescent (10AX 250V)



COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

• •

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Push Button

581126

1 Gang Intermediate Switch
(16AX 250V)



581026

1 Gang Intermediate Switch
with fluorescent
(16AX 250V)



581146

2 Gang Intermediate Switch
(10AX 250V)



581046

2 Gang Intermediate with
fluorescent
(10AX 250V)



582023

20A Double Pole Switch
with LED
(20AX 250V)



582024

20A 2 Way Double Pole Switch
with LED
(20AX 250V)



582025

20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)



582026

20A 2 Way Double Pole Switch with LED
(with earth bond)
(20AX 250V)



581111F

1 Gang Push-button Switch




581121F

2 Gang Push-button Switch



581011F

1 Gang Push-button
Switch with fluorescent



581021F

2 Gang Push-button
Switch with fluorescent



586301

Doorbell Switch with fluorescent



586311

Doorbell Switch



584542

4 Gang 2 Way Switch (146)
(10AX 250V)



584562

6 Gang 2 Way Switch (146)
(10AX 250V)



COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black




-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Sockets

581080 2 Pin Socket and Multi-standard Socket (10A 250V) 	581089 Multi-standard Socket with Switch (13A 250V) 	581287 Twin EU-US with Earth Socket (16A 250V) 	581382 13A BS Switched Socket (13A 250V) 
584581 Twin BS Double Pole Switched Socket (13A 250V) 	584582 Twin BS Switched Socket (13A 250V) 	581582 15A BS Switched Socket (15A 250V) 	581687 Schuko Socket (16A 250V) 
58E7253 Multi-standard Socket with USB A+C Chargers (13A 250V) 	58E7251 Twin EU-US with Earth Socket with USB A+C Chargers (16A 250V) 	58E7254 13A BS Switched Socket with USB A+C Chargers (13A 250V) 	584585 Twin BS Double Pole Switched Socket with USB A+C Chargers (13A 250V) 
581075 2 pin Socket with Switch (10A 250V) 	581583 15A BS Switched Socket with LED (15A 250V) 	581189 Multi-standard Socket with Switch with LED (13A 250V) 	581180 2 Pin Socket and Multi-standard Socket with Switch with LED (10A 250V) 

COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Tel, TV and Data Outlets

585111 TV Outlet 	585114 TV Outlet with F Connector 	585214 Telephone Outlet 	585218 Data Outlet Cat.6 
585224 Twin Telephone Outlet (RJ11) 	585228 Twin Data Outlet Cat.6 	585229 Telephone and Data Outlet Cat.6 	585302 TV and Data Outlet Cat.6 
Control And Regulation			
58E101 200W LED Dimmer Switch (Triac Leading edge) 	58E105 200W LED Dimmer Switch (Triac Trailing edge) 	58E201 Fan Regulator Switch 	58E202 Fan Regulator Switch with Switch 
Hotel solution			
45002 Doorbell 	58E616 Doorbell Switch with "Do Not Disturb" "Make Up Room" Indicator 	58E7005 Ventilation System 	58E7006 Thermostat(FCU, 4 pipes) 

COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

• •

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

58E732
3000K Footlight



585901
Emergency Switch



58E601
Keycard Switch



58E602
RFID Keycard Switch



58E651
Shaver Outlet



58E746
Wall-mounted WiFi Router (POE)



58E748
Dual Band Gigabit Wall-mounted WiFi Router Module (POE Wifi 5)



Others

585401
Speaker Outlet




585402
Twin Speaker Outlet



581000
Blank Plate



585200
Wire outlet



Docking

58E751
Docking Socket



76E755
Type A+C Double USB outlet kit



76E752
Wall light kit (3W3000K)



76E753
Reading Lamp kit (5W3000K)



COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey


Dimensions of Applicable Box

• •

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Frames

580620
2 Gang Frame (86mm x 172mm)



580630
3 Gang Frame (86mm x 258mm)



580640
4 Gang Frame(86mm x 344mm)



580650
5 Gang Frame (86mm x 430mm)



COLOUR ►

White	-46 Champagne	-61 Grey	-26 Black	-6J Vintage gold	-6K Spacegrey
-------	------------------	-------------	--------------	---------------------	------------------



Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Smart Gateway

681808TY

Smart Zigbee Gateway
(LAN)



S00E0-S009

Smart Zigbee Gateway (WiFi)



58E8061TY

Smart ZigBee Wall-mounted
USB A+C Gateway(WiFi)



Smart Switch

58E8001TY

1 Gang Smart Switch
(200W/gang)



58E8002TY

2 Gang Smart Switch
(200W/gang)



58E8003TY

3 Gang Smart Switch
(200W/gang)



58E8004TY

4 Gang Smart Switch
(200W/gang)



58E8009TY

4 Gang Multifunction
Smart Switch (2 scene+2 switch)
(200W/gang)



58E8022TY

6 Gang Multifunction
Smart Switch (3 scene+3 switch)
(200W/gang)



58E8023TY

6 Gang Multifunction
Smart Switch(2 scene+4 switch)
(200W/gang)



58E8024TY

6 Gang Multifunction
Smart Switch(2 scene+2 curtain)



Smart Easy Switch (No neutral)

58E8031TY

1 Gang Smart Easy Switch
(>3W, 200W/Gang)



58E8032TY

2 Gang Smart Easy Switch
(>3W, 200W/Gang)



58E8033TY

3 Gang Smart Easy Switch
(>3W, 200W/Gang)



681820TY

6 Gang Remote Control
Scene Switch*



*No load wires between switch and light

COLOUR ►

White	-46 Champagne	-61 Grey	-26 Black	-6J Vintage gold	-6K Spacegrey
-------	------------------	-------------	--------------	---------------------	------------------



Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Smart Scene Switch

*No load wires between switch and light

58E8005TY

1 Gang Smart Scene
Switch*



58E8006TY

2 Gang Smart Scene
Switch*




58E8007TY

3 Gang Smart Scene
Switch*



58E8008TY

4 Gang Smart Scene
Switch*



Smart Curtain Switch

*4/5-Wire Strong Current Motor

58E8013TY

1 Gang Smart Curtain Switch*



58E8014TY

2 Gang Smart Curtain Switch*



Smart Dimming Switch

*TRIAC

58E8015TY

1 Gang Smart Dimming Switch*
(>4W, 200W/Gang)



58E8016TY

2 Gang Smart Dimming Switch
(>4W, 200W/Gang)



COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey



Dimensions of Applicable Box

Plate: 86*86mm


Box: 72*72mm


Fixing Center: 60.3mm

Smart Tunable white and Dimming Set(with Simon Smart ZigBee light)

58E8017TY Smart Tunable White and Dimming Switch* 	N62E0-1157 Smart LED KC1 Tunable WH Module Max12W15°2700-6000K  *KC1 Frame required	N62E0-1158 Smart LED KC1 Tunable WH Module Max12W24°2700-6000K  *KC1 Frame required	N62E0-1159 Smart LED KC1 Tunable WH Module Max12W36°2700-6000K  *KC1 Frame required
--	--	---	--

N62E0-1160 Smart LED KC1 Tunable WH Module Max12W60°2700-6000K  *KC1 Frame required	N6524-0460 SmartDriverCC 200mA36VDC/220-240V ZigbeeTunableWH(9W) 	N6524-0462 SmartDriverCC 300mA36VDC/220-240V ZigbeeTunableWH(12W) 	N6524-0393 SC1 constant current Tunable WH + Dim driver (9W200mA36VDC)  *Zigbee module (N6524-0412) required
--	---	---	---

N6524-0394 SC1 constant current Tunable WH + Dim driver (12W300mA36VDC)  *Zigbee module (N6524-0412) required	N6524-0412 Zigbee module for SC1/SV1 driver (Tunable WH + Dim) 	N6524-0437 SV1 constant voltage tunable WH+dim driver(150W)  *Zigbee module (N6524-0412) required	N6824-0256 LED Strip SS36 24V 2x96L 8mm 12W TunableWH IP20 5M 
--	---	---	--

N6824-0257 LED Strip SS36 24V 2x96L 8mm 12W TunableWH IP65 5M 	N65E0-0022 Simon smart TunableWH ZigBee Control Module 24V 240W(strip)  *Need work with on off CV driver(strip) N6524-0456 N6524-0457 N6524-0458 N6524-0463
--	--

COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey



Dimensions of Applicable Box

Plate: 86*86mm

Box: 72*72mm

Fixing Center: 60.3mm

Smart Thermostat

58E7101TY Smart Central-AC Thermostat (FCU) 	58E7105TY Smart Ventilation System *VRF,need customized AC gate valve module 	58E7106TY Smart AC Thermostat (VRF Module open protocol)* 
--	---	--

Frames

580620 2 Gang Frame (86mm x 172mm) 	580630 3 Gang Frame (86mm x 258mm) 
580640 4 Gang Frame(86mm x 344mm) 	580650 5 Gang Frame (86mm x 430mm) 

COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

Plate: 86*86mm

Box: 72*72mm

Fixing Center: 60.3mm

681803HL

Zigbee Gateway (LAN)

58E8041HL

Keycard switch

58E8042HL

2 Gang Zigbee Switch
(DND, MUR)

58E8001HL

1 Gang ZigBee Switch

58E8002HL

2 Gang ZigBee Switch

58E8003HL

3 Gang ZigBee Switch

58E8004HL

4 Gang ZigBee Switch

58E8009HL

4 Gang Multifunction ZigBee switch
(2 scene+2 switch)

58E8022HL

6 Gang Multifunction ZigBee Switch
(3 scene+3 switch)

58E8023HL

6 Gang Multifunction ZigBee Switch
(2 scene+4 switch)

58E8005HL

1 Gang ZigBee Scene Switch

58E8006HL

2 Gang ZigBee Scene Switch

58E8007HL

3 Gang ZigBee Scene Switch

COLOUR ▶

White

-46
Champagne

-61
Grey

-26
Black

-6J
Vintage gold

-6K
Spacegrey

Dimensions of Applicable Box

Plate: 86*86mm

Box: 72*72mm

Fixing Center: 60.3mm

58E8008HL

4 Gang ZigBee Scene Switch

58E8021HL

6 Gang ZigBee Scene Switch

58E8013HL

1 Gang ZigBee Curtain Switch

58E8014HL

2 Gang ZigBee Curtain Switch

58E7101HL

ZigBee Central-AC
Thermostat(FCU)

45E611-61

"Do not Disturb", "Make Up room",
"Wait A minute", "Someone In" Indicator

58E616

Doorbell Switch with "Do Not Disturb"
"Make Up Room" Indicator

45002

Doorbell

585901

Emergency Switch

keycardless solution

S2200-0420

Infrared and microwave
dual sensor (DC12V, dry contact)

S2200-0404

Door magnet(DC12V)(5 sets)

681840HL

Wireless RCU Converter
(Dry Contact to Zigbee)

— **simon** —
LIGHT UP
EMOTIONS

The logo features the word "simon" in a bold, lowercase sans-serif font, flanked by two horizontal lines. Below this, the words "LIGHT UP" and "EMOTIONS" are stacked in a clean, uppercase sans-serif font. A thick, dark, curved swoosh underline is positioned beneath the text.