



Website



Facebook



YouTube

simon
LIGHT UP EMOTIONS

www.simonelectric.com



Simon, S.A.(Spain)
Tel. +34 902 109100
Web. www.simonelectric.com

Simon Electric (China)
Tel. +86 21 3855 5222
Web. www.simon.com.cn

Simon Electric (APAC)
Web. www.simon-apac.com
E-mail. info@simon-apac.com

PT Simon Elektrik Indonesia
Tel. +62 21 52960373
Web. www.simonelektrik.co.id

Jun 2024 Printed

Simon | M7



SELECTED MATERIAL SLIM AESTHETICS SMART INSPIRATION

simon

Simon M7 Catalogue

simon

Simon|M7

SELECTED MATERIAL SLIM AESTHETICS SMART INSPIRATION

Simon|M7



Air/Gem/Metal




Selected Material Pinnacle of CMF Design

3 premium materials and **9** colors.
Collision between modern and future.
Raging imagination with exquisite design.

Simon M7 Gem


Utilize the transparency of *Glass*
Texture of natural jewel
Artistry aesthetics revealed




Simon M7 Gem

Anti-glare Glass Classy Matte Surface

7H high strength etched AG glass, with automated seamless process,
70% high intensity haze effect, while preserve the transparency of glass.
Exquisite **visual & touch**.





Simon M7 Gem
AF Nano Coating
Ever-lasting Clean Surface

AF nano-coating is the process of applying a surface layer that repels water, oil and dirt.

No fingerprint


The elegance always endures.

Simon M7 Metal

Metal - a unique design language.

Restore the texture of metal materials.

Simon applies more techniques to activate the beauty of metal materials.




Simon M7

Anodic Oxidation Process Vivid Color

Aviation-grade aluminum material

Anodic oxidation process, effectively improves the surface **hardness, insulation, resistance to wear & heat.**

Long-lasting metallic luster.



Selected Material



Frosted silver

Fine, uniform frosted texture surface allows the light to be evenly dispersed.
The blend of technology and art presents the best aesthetics and quality.



Brushed Grey

The wire drawing process
Creates a flowing glossy surface and improves decorative effect.



Satin Gold

Delicate and refined surface.
Combine softness of satin with the hard metal texture.

Simon M7 Air

Plastic - the brand new matte leather process brings out the delicate layers and luster of the surface, creating chic style to any space, no matter modern, quiet or ornate.



Slim as Natural Breakthrough Innovation

Frameless panel design.

Cleverly balances the visual and function experience.

Slim and elegant.



Beyond Imagination More Than Just Slim

The entire series reduces the panel thickness down to **7.5mm**,
and thinner to **5.1mm** when switched on.
Slim side lines beyond imagination, set new standards for living space.





Fully Flat Multi-gang Appearance

When switch is off, the rocker is parallel to the base plate, achieving **0° angle**.
Switches are flush with sockets, better blending into the wall.

Ultra Slim Visual

simon



Refined Details Precise Manufacture

The visual enjoyment of slimness comes from dedicated craftsmanship. Simon's more than a hundred years of polishing and never-ending breakthroughs, to create outstanding quality with innovation.

Neat Visual

The rocker gap is down to **0.2mm**
Height difference between rockers ≤ **0.2mm**.

Smooth Click


The multilink micro-motion structure creates **1.6°** on/off angle, clear and smooth click.

Quiet and Cozy

1.6° on/off angle, ultra short keystroke.
Click sound below 40dB without noise.

Robust and Durable

The steel base plate can handle **0.6N·m** torque, less deformation in installation.



Systematic

simon

Uniform & Systematic

One stop solution, a complete package dealing with all scenarios.
Impeccable unified appearance.



3000K Sensory Footlight

Sensors and luminous surfaces have a flat appearance and blend perfectly into the wall.



Dual Band Gigabit Wall-mounted WiFi Router(POE)

Supports **2.4GHz+5GHz**, more balanced load on assigned frequency bands; Built-in AC management mode, manage multiple AP panels simultaneously.




USB(5V 2.4A)+TYPE-C(65W)

Don't need chargers. Support multiple fast-charging protocols.
Maximum **65W fast charging**.



Thermostat

Upgraded color screen, clearer status display.



Active Interaction Smart Inspiration

Break free with an innovative communication solution.

Active interaction functions.

Provide users with a full range of smart switches, to achieve an **all-scenario** smart life solution.

Wireless Communication Break Away from Material Constraints

The innovative smart communication solution makes it possible that the signal can break through the constraints of glass and metal.

More efficient and stable.

Communication distance **150m***.

Easily across any scene.



* Data comes from Simon Lab



ZigBee 3.0 Financial-grade Encryption

Adopt **ZigBee 3.0** protocol, less energy consumption, lower latency, mature ecosystem.

Fast and stable smart interactions, easily handle complex situations.

Apply **AES-128** financial-grade encryption, safeguarding user information security and make data processing and transmission more efficient.





Active light language Interaction Status Clearly displayed & Controlled

Scene switch: all lights on/off, clear visual feedback on the panel.

Dimming switch: stepped indication with synchronized brightness display.

Curtain switch: Progressive light language blinking, status vividly displayed.

Above smart panel models are equipped with light language indication.

Active Infrared Detection Everything Precisely Perceived

Equipped with active infrared detection, precisely detect target position.

30cm proximity sensing,

Panels effortlessly waken up with every swing of the fingertips.





Dual-color Indicator Design

Dual-color backlight buttons, customizable engraving.

The color of the indicator is synchronized with the switch status

Orange - ON

White - OFF

Light status clearly displayed.

Any Time Free to Dim

Long press the button to enter dimming mode.
Light indicator will display the current brightness of the light.
Load power **400W(LED)/gang**.





Break Existing Boundary All Functions Fully Integrated

Based on the original smart switches, add **8 Gang Smart Scene Switch**, **Switch+Scene Multifunction Switch** **4-inch Smart Color Screen Thermostat**. Integrated functions bring innovative experiences.

3 Control Methods Enjoy Free Lifestyle

Provide touch control, voice control, and APP control **3** channels of interaction, satisfying different user preferences.

"Enjoy free lifestyle at your fingertips."



Buttons and Touch Screen

Buttons apply micro-motion structure, clear and firm feedback;


Touch screen with all information clearly displayed, finger swipe and tap to control all functions



Voice Control

Support linkage with mainstream smart speakers. Smart devices easily controlled through voice.

Google speaker / Amazon Alexa speaker / Siri




Customize Scene Interaction

Based on Simon Smart ecosystem, users can freely create exclusive life scenes. The whole family can enjoy smart control together.

Phone App Remote Control

Simon Smart App supports remote controlling smart devices, customized control settings, and checking on device status.


"Anywhere, anytime, enables smart home control."



Simon|ELV

simon

Low voltage switches integrated with control systems



The M7 series of low voltage switches are designed for use with **the RCU bus system**.

These switches are ideal for installation in commercial or residential settings, such as hotels, offices, villas, and more.

The RCU bus system controls the automation of essential functions, including curtains, lighting, heating, air conditioning, energy management, and other smart space features.

It intelligently transforms spaces, optimizes usage, enhances reliability, and improves energy efficiency.

Simon|M7

SELECTED MATERIAL

SLIM AESTHETICS

SMART INSPIRATION



Switches


Socket

Tel, TV and Data Outlets

Others

Frame

Simon M7 Air



Platinum White



6R Platinum Silver



6Q Platinum Grey



reddot winner 2023

COLOUR ▶

Platinum White

-6R
Platinum Silver

-6Q
Platinum Grey

Dimensions of Applicable Box

○

○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

Switches

661011

1 Gang 1 Way Switch
(16AX 250V)

661012

1 Gang 2 Way Switch
(16AX 250V)

661026

1 Gang Intermediate Switch
(16AX 250V)

662023

20A Double Pole Switch with LED
(20AX 250V)

662024

20A 2 Way Double Pole
Switch with LED (20AX 250V)

662025

20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)

662026

20A 2 Way Double Pole
Switch with LED (with earth bond)
(20AX 250V)

661021

2 Gang 1 Way Switch
(16AX 250V)

661022

2 Gang 2 Way Switch
(16AX 250V)

661046

2 Gang Intermediate Switch
(16AX 250V)

661031

3 Gang 1 Way Switch
(16AX 250V)

661032

3 Gang 2 Way Switch
(16AX 250V)

661041

4 Gang 1 Way Switch
(16AX 250V)

661042

4 Gang 2 Way Switch
(16AX 250V)

666301

Doorbell Switch
(16AX 250V)

661011F

1 Gang Push-button Switch
(16AX 250V)

COLOUR ▶

Platinum White

-6R
Platinum Silver

-6Q
Platinum Grey

Dimensions of Applicable Box

○

○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

Socket

661021F

2 Gang Push-button Switch
(16AX 250V)

661080

2 Pin Socket and
Multi-standard Socket
(10A 250V)

661089

Multi-standard Socket with Switch
(13A 250V)

661287

Twin EU-US with Earth Socket
(16A 250V)

661382

13A BS Switched Socket
(13A 250V)

661383

13A BS Double Pole
Switched Socket
(13A 250V)

661687

Schuko Socket
(16A 250V)

66E7253

Multi-standard Socket with
USB A+C Chargers
(13A 250V)

66E7251

Twin EU-US with Earth Socket
with USB A+C Chargers
(16A 250V)

66E7254

13A BS Switched Socket
with USB A+C Chargers
(13A 250V)

66E7255

13A BS Double Pole Switched Socket
with USB A+C Chargers
(13A 250V)

66E7256

Schuko Socket with
USB A+C Chargers
(16A 250V)

66E722

USB(5V 2.4A)+TYPE-C(65W)

COLOUR ▶

Platinum White

-6R
Platinum Silver

-6Q
Platinum Grey

Dimensions of Applicable Box

○

○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

664581

Twin Bs Double Pole Switched Socket
(13A 250V)

664585

Twin BS Double Pole Switched Socket with USB A+C Chargers
(13A 250V)

Tel, TV and Data Outlets

665111

TV Outlet

665214

Telephone Outlet (RJ11)

665218

Data Outlet Cat.6

665228

Twin Data Outlet Cat.6

665229

Telephone and Data Outlet

665302

TV and Data Outlet Cat.6

665114

TV Outlet with F Connector

Hotel Solutions

45002

Doorbell

58E616

Doorbell Switch with "Do Not Disturb"
"Make Up Room" Indicator

66E732

3000k Sensory Footlight

665901

Emergency Switch

51

COLOUR ▶

Platinum White

-6R
Platinum Silver

-6Q
Platinum Grey

Dimensions of Applicable Box

○

○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

66E747

Dual Band Gigabit Wall-mounted
WiFi Router (POE Wifi 6)

66E748

Dual Band Gigabit Wall-mounted
WiFi Router (POE Wifi 5)

66E7005

Ventilation System

66E7006

Thermostat (VRV, Modbus,
need customized gateway)

Others

66E102

200W LED Dimmer Switch
(Triac)

661000

Blank Plate

665200

Wire outlet

Frames

660820

2 Gang frame

660830

3 Gang frame

660840

4 Gang frame

660850

5 Gang frame

52

Simon M7

Simon M7 Metal



2B Brushed Grey



2A Frosted silver



2C Satin Gold



COLOUR ▶

-2B
Brushed Grey

-2A
Frosted silver

-2C
Satin Gold

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

Switches

661011M

1 Gang 1 Way Switch
(16AX 250V)



661012M

1 Gang 2 Way Switch
(16AX 250V)



661026M

1 Gang Intermediate Switch
(16AX 250V)



662023M

20A Double Pole Switch with LED
(20AX 250V)



662024M

20A 2 Way Double Pole
Switch with LED (20AX 250V)



662025M

20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)



662026M

20A 2 Way Double Pole Switch with LED
(with earth bond)
(20AX 250V)



661021M

2 Gang 1 Way Switch
(16AX 250V)



661022M

2 Gang 2 Way Switch
(16AX 250V)



661046M

2 Gang Intermediate Switch
(16AX 250V)



661031M

3 Gang 1 Way Switch
(16AX 250V)



661032M

3 Gang 2 Way Switch
(16AX 250V)



661041M

4 Gang 1 Way Switch
(16AX 250V)



661042M

4 Gang 2 Way Switch
(16AX 250V)



666301M

Doorbell Switch
(16AX 250V)



661011FM

1 Gang Push-button Switch
(16AX 250V)



COLOUR ▶

-2B
Brushed Grey

-2A
Frosted silver

-2C
Satin Gold

Dimensions of Applicable Box

○ ○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

661021FM

2 Gang Push-button Switch
(16AX 250V)



Socket

661080M

2 Pin Socket and
Multi-standard Socket
(10A 250V)



661089M

Multi-standard Socket with Switch
(13A 250V)



661287M

Twin EU-US with Earth Socket
(16A 250V)



661382M

13A BS Switched Socket
(13A 250V)



661383M

13A BS Double Pole
Switched Socket
(13A 250V)



661687M

Schuko Socket
(16A 250V)



66E7253M

Multi-standard Socket with
USB A+C Chargers
(13A 250V)



66E7251M

Twin EU-US with Earth Socket
with USB A+C Chargers
(16A 250V)



66E7254M

13A BS Switched Socket
with USB A+C Chargers
(13A 250V)



66E7255M

13A BS Double Pole Switched Socket
with USB A+C Chargers
(13A 250V)



66E7256M

Schuko Socket with
USB A+C Chargers
(16A 250V)



COLOUR ▶

-2B
Brushed Grey

-2A
Frosted silver

-2C
Satin Gold

Dimensions of Applicable Box

○ ○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available

664581

Twin Bs Double Pole Switched Socket
(13A 250V)



664585

Twin BS Double Pole Switched Socket with USB A+C Chargers
(13A 250V)



Tel, TV and Data Outlets

665111M

TV Outlet



665214M

Telephone Outlet (RJ11)



665218M

Data Outlet Cat.6



665228M

Twin Data Outlet Cat.6



665229M

Telephone and Data Outlet



665302M

TV and Data Outlet Cat.6



665114M

TV Outlet with F Connector



Others

661000M

Blank Plate



665901M

Emergency Switch



66E102M

200W LED Dimmer Switch
(Triac)



Simon M7 Gem



4F Diamond White

4E Diamond Silver

4D Diamond Grey



COLOUR ▶
-4F Diamond White
-4E Diamond Silver
-4D Diamond Grey

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available, MOQ 200/SKU

Switches

661011G

1 Gang 1 Way Switch
(16AX 250V)



661012G

1 Gang 2 Way Switch
(16AX 250V)



661026G

1 Gang Intermediate Switch
(16AX 250V)



662023G

20A Double Pole Switch with LED
(20AX 250V)



662024G

20A 2 Way Double Pole
Switch with LED(20AX 250V)



662025G

20A Double Pole Switch with LED
(with earth bond)
(20AX 250V)



662026G

20A 2 Way Double Pole Switch with LED
(with earth bond)
(20AX 250V)



661021G

2 Gang 1 Way Switch
(16AX 250V)



661022G

2 Gang 2 Way Switch
(16AX 250V)



661046G

2 Gang Intermediate Switch
(16AX 250V)



661031G

3 Gang 1 Way Switch
(16AX 250V)



661032G

3 Gang 2 Way Switch
(16AX 250V)



661041G

4 Gang 1 Way Switch
(16AX 250V)



661042G

4 Gang 2 Way Switch
(16AX 250V)



666301G

Doorbell Switch
(16AX 250V)



661011FG

1 Gang Push-button Switch
(16AX 250V)



COLOUR ▶

-4F

Diamond White

-4E

Diamond Silver

-4D

Diamond Grey

Dimensions of Applicable Box

○ ○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available, MOQ 200/SKU

661021FG

2 Gang Push-button Switch
(16AX 250V)



Socket

661080G

2 Pin Socket and
Multi-standard Socket
(10A 250V)



661089G

Multi-standard Socket with Switch
(13A 250V)



661287G

Twin EU-US with Earth Socket
(16A 250V)



661382G

13A BS Switched Socket
(13A 250V)



661383G

13A BS Double Pole
Switched Socket
(13A 250V)



661687G

Schuko Socket
(16A 250V)



66E7253G

Multi-standard Socket with
USB A+C Chargers
(13A 250V)



66E7251G

Twin EU-US with Earth Socket
with USB A+C Chargers
(16A 250V)



66E7254G

13A BS Switched Socket
with USB A+C Chargers
(13A 250V)



66E7255G

13A BS Double Pole Switched Socket
with USB A+C Chargers
(13A 250V)



66E7256G

Schuko Socket with
USB A+C Chargers
(16A 250V)



COLOUR ▶

-4F

Diamond White

-4E

Diamond Silver

-4D

Diamond Grey

Dimensions of Applicable Box

○ ○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3m

*Customizable no logo version available, MOQ 200/SKU

664581

Twin Bs Double Pole Switched Socket
(13A 250V)



664585

Twin BS Double Pole Switched Socket with USB A+C Chargers
(13A 250V)



Tel, TV and Data Outlets

665111G

TV Outlet



665214G

Telephone Outlet (RJ11)



665218G

Data Outlet Cat.6



665228G

Twin Data Outlet Cat.6



Others

665229G

Telephone and Data Outlet



665302G

TV and Data Outlet Cat.6



665114G

TV Outlet with F Connector



725901G

Emergency Switch



661000G

Blank Plate



66E747G

Dual Band Gigabit Wall-mounted
WiFi Router (POE Wifi 6)



66E748G

Dual Band Gigabit Wall-mounted
WiFi Router (POE Wifi 5)



66E102G

200W LED Dimmer Switch
(Triac)



Simon M7 Metal Smart



2B Brushed Grey



2A Frosted silver



2C Satin Gold



COLOUR ▶

-2B
Brushed Grey

-2A
Frosted silver

-2C
Satin Gold



Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Smart Gateway

681808TY

Smart Zigbee Gateway
(LAN)



S00E0-S009

Smart Zigbee Gateway (WiFi)



Smart Switch

66E8001MTY

1 Gang Smart Switch
⚡ 800W ⚡ 200W



66E8002MTY

2 Gang Smart Switch
⚡ 2X800W ⚡ 2X200W



66E8003MTY

3 Gang Smart Switch
⚡ 3X800W ⚡ 3X200W



66E8004MTY

4 Gang Smart Switch
⚡ 4X800W ⚡ 4X200W



66E8009MTY

4 Gang Multifunction smart switch
(2 scene+2 switch)
⚡ 2X800W ⚡ 2X200W



Smart Scene Switch

*No load wires between switch and light

66E8005MTY

1 Gang Smart Scene Switch *



66E8006MTY

2 Gang Smart Scene Switch *



66E8007MTY

3 Gang Smart Scene Switch *



66E8008MTY

4 Gang Smart Scene Switch *



Smart Curtain Switch

*4/5-Wire Strong Current Motor

66E8025MTY

8 Gang Smart Scene Switch *



66E8013MTY

1 Gang Smart Curtain Switch *
⚡ 200W



66E8014MTY

2 Gang Smart Curtain Switch *
⚡ 2X200W



Smart Dimming Switch

*TRIAC

66E8015MTY

1 Gang Smart Dimming Switch
⚡ 400W ⚡ 400W





*No load wires between switch and light

Smart Tunable white and Dimming Set(with Simon Smart ZigBee light)

66E8017MTY Smart Tunable white and Dimming Set (with Simon Smart ZigBee light) 	N62E0-1157 Smart LED KC1 Tunable WH Module Max12W15°2700-6000K  *KC1 Frame required	N62E0-1158 Smart LED KC1 Tunable WH Module Max12W24°2700-6000K  *KC1 Frame required	N62E0-1159 Smart LED KC1 Tunable WH Module Max12W36°2700-6000K  *KC1 Frame required
---	---	--	---

N62E0-1160 Smart LED KC1 Tunable WH Module Max12W60°2700-6000K  *KC1 Frame required	N6524-0460 SmartDriverCC 200mA36VDC/220-240V ZigbeeTunableWH(9W) 	N6524-0462 SmartDriverCC 300mA36VDC/220-240V ZigbeeTunableWH(12W) 	N6524-0393 SC1 constant current Tunable WH + Dim driver (9W200mA36VDC)  *Zigbee module (N6524-0412) required
--	---	---	--

N6524-0394 SC1 constant current Tunable WH + Dim driver (12W300mA36VDC)  *Zigbee module (N6524-0412) required	N6524-0412 Zigbee module for SC1/SV1 driver (Tunable WH + Dim) 	N6524-0437 SV1 constant voltage tunable WH+dim driver(150W)  *Zigbee module (N6524-0412) required	N6824-0256 LED Strip SS36 24V 2x96L 8mm 12W TunableWH IP20 5M 
---	--	--	---

N6824-0257 LED Strip SS36 24V 2x96L 8mm 12W TunableWH IP65 5M 	N65E0-0022 Simon smart TunableWH ZigBee Control Module 24V 240W  *Need work with on off CV driver N6524-0456 N6524-0457 N6524-0458 N6524-0463
---	---

Smart Thermostat

*VRF,need customized AC gateway module

66E7102MTY Smart Ventilation & VRF System (Simon Smart,modbus)  *can be customized into FCU type	66E7104MTY Smart Floor Heating&VRF System (Simon Smart,modbus) 
--	--

Simon M7 Gem Smart



4F Diamond White



4E Diamond Silver



4D Diamond Grey



COLOUR ▶

-4F
Diamond White

-4E
Diamond Silver

-4D
Diamond Grey

Dimensions of Applicable Box

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Smart Gateway 681808TY Smart Zigbee Gateway (LAN)	Smart Gateway S00E0-S009 Smart Zigbee Gateway (WiFi)	Smart Switch 66E8001GTY 1 Gang Smart Switch ⚡ 800W ⚡ 200W	Smart Switch 66E8002GTY 2 Gang Smart Switch ⚡ 2X800W ⚡ 2X200W
Smart Switch 66E8003GTY 3 Gang Smart Switch ⚡ 3X800W ⚡ 3X200W	Smart Switch 66E8004GTY 4 Gang Smart Switch ⚡ 4X800W ⚡ 4X200W	Smart Switch 66E8009GTY 4 Gang Multifunction smart switch (2 scene+2 switch) ⚡ 2X800W ⚡ 2X200W	
Smart Scene Switch *No load wires between switch and light			
Smart Scene Switch 66E8005GTY 1 Gang Smart Scene Switch *	Smart Scene Switch 66E8006GTY 2 Gang Smart Scene Switch *	Smart Scene Switch 66E8007GTY 3 Gang Smart Scene Switch *	Smart Scene Switch 66E8008GTY 4 Gang Smart Scene Switch *
Smart Curtain Switch *4/5-Wire Strong Current Motor			
Smart Scene Switch 66E8025GTY 8 Gang Smart Scene Switch *	Smart Curtain Switch 66E8013GTY 1 Gang Smart Curtain Switch * ⚡ 200W	Smart Curtain Switch 66E8014GTY 2 Gang Smart Curtain Switch * ⚡ 2X200W	Smart Dimming Switch *TRIAC 66E8015GTY 1 Gang Smart Dimming Switch ⚡ 400W ⚡ 400W

Smart Tunable white and Dimming Set(with Simon Smart ZigBee light)

66E8017MTY

Smart Tunable white and Dimming Set
(with Simon Smart ZigBee light)

N62E0-1157

Smart LED KC1 Tunable WH Module
Max12W15°2700-6000K

*KC1 Frame required

N62E0-1158

Smart LED KC1 Tunable WH Module
Max12W24°2700-6000K

*KC1 Frame required

N62E0-1159

Smart LED KC1 Tunable WH Module
Max12W36°2700-6000K

*KC1 Frame required

N62E0-1160

Smart LED KC1 Tunable WH Module
Max12W60°2700-6000K

*KC1 Frame required

N6524-0460

SmartDriverCC
200mA36VDC/220-240V
ZigbeeTunableWH(9W)

N6524-0462

SmartDriverCC
300mA36VDC/220-240V
ZigbeeTunableWH(12W)

N6524-0393

SC1 constant current Tunable WH
+ Dim driver (9W200mA36VDC)

*Zigbee module (N6524-0412) required

N6524-0394

SC1 constant current Tunable WH
+ Dim driver (12W300mA36VDC)

*Zigbee module (N6524-0412) required

N6524-0412

Zigbee module for SC1/SV1 driver
(Tunable WH + Dim)

N6524-0437

SV1 constant voltage
tunable WH+dim driver(150W)

*Zigbee module (N6524-0412) required

N6824-0256

LED Strip SS36 24V 2x96L
8mm 12W TunableWH IP20 5M

N6824-0257

LED Strip SS36 24V 2x96L
8mm 12W TunableWH IP65 5M

N65E0-0022

Simon smart TunableWH
ZigBee Control Module 24V 240W(strip)

*Need work with on off CV driver(strip)
N6524-0456 N6524-0457
N6524-0458 N6524-0463

Smart Thermostat

*VRF,need customized AC gateway module

66E7102GTY

Smart Ventilation & VRF Module
(Simon Smart,modbus)

*can be customized into FCU type

66E7104GTY

Smart Floor Heating&VRF System
(Simon Smart,modbus)

Simon M7 ELV Metal



2A Frosted silver



2C Satin Gold



2B Brushed Grey



COLOUR ▶

-2B
Brushed Grey

-2A
Frosted silver

-2C
Satin Gold

*Dry-contact switch: can directly with other RCU

*RS485 switch: use with Simon-Bus,open protocol available for third party RCU system

Dimensions of Applicable Box

○ ○

Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

RS485 Keycard Switch

66E604M

M7 RF Keycard switch Module
(DC12V,RS485)

Dry-contact switch with dual backlight

66E641M

1 Gang ELV dry contact
dual backlight switch
(DC12V)

66E642M

2 Gang ELV dry contact
dual backlight switch
(DC12V)

66E643M

3 Gang ELV dry contact dual
backlight switch
(DC12V)

66E644M

4 Gang ELV dry contact dual
backlight switch
(DC12V)

66E645M

6 Gang ELV dry contact dual
backlight switch
(DC12V)

RS485 Switch with dual backlight

66E9001M

1 Gang dual backlight switch module
(DC12V,RS485)

66E9002M

2 Gang dual backlight switch module
(DC12V,RS485)

66E9003M

3 Gang dual backlight switch module
(DC12V,RS485)

66E9004M

4 Gang dual backlight switch module
(DC12V,RS485)

66E9005M

8 Gang dual backlight switch module
(DC12V,RS485)

RS485 Thermostat

66E7011

Central-AC thermostat Module
(Simon-Bus,DC12V,RS485,VRF/FCU)

Simon M7 ELV Gem



4F Diamond White



4E Diamond Silver



4D Diamond Grey



— **simon** —
LIGHT UP
EMOTIONS

